

07

WELDED WHEELBARROWS

Kaynaklı El Arabaları | Brouettes Soudés | العربات اليدوية الملحومة
Сварные Тачки

13

DEMONTABLE WHEELBARROWS

Demonte El Arabaları | Brouette Démonté | العربات اليدوية القابلة للتركيب
Демонтируемые Тачки

25

HAND TRUCKS

Koli Taşıma Arabası | Diablos | عربة نقل الأمتعة
Ручные Тележки

29

WHEELS AND SPARES

Tekerlekler-Yedekler | Roues et Rechanges | عجلات وقطع الغيار
Колеса И Запасные Части

37

SHOVELS

Kürekler | Pelles | المجارف
Лопаты

59

HANDLES

Saplar | Poignées | المقابض
Черенки

65

GARDEN TOOLS

Bahçe Ekipmanları | Outils De Jardin | أدوات الحدائق
Садовые Инструменты

73

CONSTRUCTION EQUIPMENTS

İnşaat Ekipmanları | Équipements de Construction | معدات الطيان و النجار
Строительные Оборудования



WELDED WHEELBARROWS

Kaynaklı El Arabaları
Brouettes Soudés

Starting production of wheelbarrows for professional use with wholly welded, trivet wheelbarrows, improved its welded wheelbarrows product range considering different areas of use and started the production of wheelbarrows with various sheet thicknesses and trivet.



SHIPMENT INFORMATION

Nakliye Bilgisi

Bundle Qty. Bağ Adedi	20' DC	40' HC	Truck Kamyon	Jumbo Truck Tır
1 pcs./Adet	120 pcs./Adet	300 pcs./Adet	250 pcs./Adet	410 pcs./Adet



Code / Kod / Code / Код

الرمز



Tekne Sac Kalınlığı / Tray Thickness / Caisse épaisseur / Толщина Лотка

سمك جدار الحوض



Chassis / Şasi / Châssis / Шасси

الهيكل



Wheel Type / Tekerlek Tipi / Type de Roue / Тип Колеса

نوع العجلة



Weight / Ağırlık / Poids / Bec

الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки

عدد الربطة

90L

YAPAR PRO WHEELBARROWS

YAPAR PRO EL ARABALARI / BROUETTE YAPAR PRO



↔	🛞	~	🛞	📦	📦
51331	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ Bushing	17,10 kg	1
51361	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ B. Bearing	17,20 kg	1
51631	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	15,75 kg	1
51161	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,95 kg	1
51931	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	16,30 kg	1
51771	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	16,80 kg	1

120L

YAPAR 3000 WHEELBARROWS

YAPAR 3000 EL ARABALARI / BROUETTE YAPAR 3000



↔	🛞	~	🛞	📦	📦
32321	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ Bushing	18,90 kg	1
32601	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ B. Bearing	19,00 kg	1
33321	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	17,55 kg	1
33601	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	17,75 kg	1
34601	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	18,10 kg	1
35601	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	18,60 kg	1

90L

YPR 120 WHEELBARROWS

YPR 120 EL ARABALARI / BROUETTE YPR 120



					
59331	1,20 mm	Ø 32 x 1,50 mm	Semi Solid w/ Bushing	15,50 kg	1
59731	1,20 mm	Ø 32x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,00 kg	1
59831	1,20 mm	Ø 32x 1,50 mm	Flat Free PU (3,50 x 7)	14.20 kg	1

120L

YPR 3000 WHEELBARROWS

YPR 3000 EL ARABALARI / BROUETTE YPR 3000



					
39321	1,20 mm	Ø 32 x 1,50 mm	Semi Solid w/ Bushing	17,30 kg	1
39601	1,20 mm	Ø 32 x 1,50 mm	Semi Solid w/ B. Bearing	17,40 kg	1
39101	1,20 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	16,40 kg	1
39121	1,20 mm	Ø 32 x 1,50 mm	Flat Free PU (3,50 x 7)	15,90 kg	1
39201	1,20 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	17,00 kg	1

90L

YKS 80 WHEELBARROWS

YKS 80 EL ARABALARI / BROUETTE YKS 80



					
53321	0,80 mm	Ø 32 x 1,50 mm	Semi Solid w/ Bushing	12,35 kg	1
53381	0,80 mm	Ø 32 x 1,50 mm	Semi Solid w/ B. Bearing	12,45 kg	1
53121	0,80 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	11,65 kg	1
54911	0,80 mm	Ø 32 x 1,50 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	11,85 kg	1
54921	0,80 mm	Ø 32 x 1,50 mm	Flat Free PU (3,50 x 7)	11,05 kg	1

120L

YKS 3.80 WHEELBARROWS

YKS 3.80 EL ARABALARI / BROUETTE YKS 3.80



					
32331	0,80 mm	Ø 32 x 1,50 mm	Semi Solid w/ Bushing	14,20 kg	1
32611	0,80 mm	Ø 32 x 1,50 mm	Semi Solid w/ B. Bearing	14,30 kg	1
33611	0,80 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 X 7)	12,85 kg	1
34661	0,80 mm	Ø 32 x 1,50 mm	Flat Free PU (3,50 x 7)	12.70 kg	1
35611	0,80 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 X 8)	13,56 kg	1

120L

YKS 3.120 WHEELBARROWS

YKS 3.120 EL ARABALARI / BROUETTE YKS 3.120



80L

FUZE WHEELBARROWS

FÜZE EL ARABALARI / BROUETTE FUZE



						
32361	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ Bushing	18,35 kg	1	
32641	1,20 mm	Ø 32 x 2,00 mm	Semi Solid w/ B. Bearing	18,45 kg	1	
33641	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	17,20 kg	1	
33661	1,20 mm	Ø 32 x 2,00 mm	Flat Free PU (3,50 x 7)	16,00 kg	1	
35641	1,20 mm	Ø 32 x 2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	18,00 kg	1	

						
55371	0,60 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	9,40 kg	1	
55511	0,60 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	8,50 kg	1	

80L

FUZE WHEELBARROWS METAL LEG

FÜZE EL ARABASI SAC AYAK / BROUETTE FÜZE 70 (JAMBE EN MÉTAL)



80L

FUZE 70 WHEELBARROWS

FÜZE 70 EL ARABALARI / BROUETTE FUZE 70



						
51751	0,60 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	10,20 kg	1	
51451	0,60 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	9,20 kg	1	

						
55361	0,70 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	10,00 kg	1	
55781	0,70 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	9,00 kg	1	

YAPAR GREENHOUSE WHEELBARROWS

YAPAR SERA EL ARABALARI / YAPAR BROUETTE POUR SERRE



FUZE GREENHOUSE WHEELBARROWS

FÜZE SERA EL ARABALARI / FUZE BROUETTE POUR SERRE



	axb				
54801	530x740 mm	Ø 32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	14,00 kg	1

	axb				
55801	530x720 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	12,40 kg	1





DEMONTABLE WHEELBARROWS

Demonte El Arabaları
Brouette Démonté

Leaping forward to increase the product range in accordance with the changing sense of trade and shipment, and requests of international markets, started production of disassembled wheelbarrows that requires a wider machine park and sensitive production assembled by the end user.

SHIPMENT INFORMATION

Nakliye Bilgisi

20' DC	40' HC	Jumbo Truck Tır
		
600 pcs./Adet	1320 pcs./Adet	1500 pcs./Adet

Bulk Loading / Yığma Yükleme

700 pcs./Adet	1800 pcs./Adet	2000 pcs./Adet
---------------	----------------	----------------



Code / Kod / Code / Код
الرمز

Tekne Sac Kalınlığı / Tray Thickness / Caisse épaisseur / Толщина Лотка
سمك جدار الحوض

Chassis / Şasi / Châssis / Шасси
الهيكل

Wheel Type / Tekerlek Tipi / Type de Roue / Тип Колеса
نوع العجلة

Weight / Ağırlık / Poids / Вес
الوزن

Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки
عدد الربطة

90L

YAPAR 120 DEMONTABLE WHEELBARROWS

YAPAR 120 DEMONTE EL ARABALARI / YAPAR 120 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	📦
72131	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	16,25 kg	60
72231	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	16,35 kg	60
73131	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	14,90 kg	60
73231	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,10 kg	60
74331	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	15,45 kg	60

90L

YAPAR G120 DEMONTABLE WHEELBARROWS

YAPAR G120 DEMONTE EL ARABALARI / YAPAR G120 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	📦
72139	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	16,25 kg	60
72239	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	16,35 kg	60
73139	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	14,90 kg	60
73239	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,10 kg	60
74339	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	15,45 kg	60

90L

YPR 120 DEMONTABLE WHEELBARROWS

YPR 120 DEMONTE EL ARABALARI / YPR 120 BROUETTES DÉMONTABLES



					
72421	1,20 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	14,45 kg	60
73461	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	13,75 kg	60

90L

YAPAR 100 DEMONTABLE WHEELBARROWS

YAPAR 100 DEMONTE EL ARABALARI / YAPAR 100 BROUETTES DÉMONTABLES



					
72121	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	15,45 kg	60
72221	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	15,55 kg	60
73121	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	14,10 kg	60
73221	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	14,30 kg	60
74221	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	14,65 kg	60

90L

YPR G120 DEMONTABLE WHEELBARROWS

YPR G120 DEMONTE EL ARABALARI / YPR G120 BROUETTES DÉMONTABLES



					
72429	1,20 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	14,30 kg	60
73469	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	13,60 kg	60

90L

YAPAR G100 DEMONTABLE WHEELBARROWS

YAPAR G100 DEMONTE EL ARABALARI / YAPAR G100 BROUETTES DÉMONTABLES



					
72129	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	15,45 kg	60
72229	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	15,55 kg	60
73129	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	14,10 kg	60
73229	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	14,30 kg	60
74229	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	14,65 kg	60

90L

YPR 100 DEMONTABLE WHEELBARROWS

YPR 100 DEMONTE EL ARABALARI / YPR 100 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
72411	1,00 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	13,40 kg	60
73451	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50x7)	12,70 kg	60

90L

YPR 80 DEMONTABLE WHEELBARROWS

YPR 80 DEMONTE EL ARABALARI / YPR 80 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
72401	0,80 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	12,55 kg	60
73441	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50x7)	11,85 kg	60

90L

YPR G100 DEMONTABLE WHEELBARROWS

YPR G100 DEMONTE EL ARABALARI / YPR G100 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
72419	1,00 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	13,25 kg	60
73459	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50x7)	12,55 kg	60

90L

YPR G80 DEMONTABLE WHEELBARROWS

YPR G80 DEMONTE EL ARABALARI / YPR G80 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
72409	0,80 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	12,40 kg	60
73449	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50x7)	11,70 kg	60

80L

FUZE 80 DEMONTABLE WHEELBARROWS

FÜZE 80 DEMONTE EL ARABALARI / FÜZE 80 BROUETTES DÉMONTABLES



					
72351	0,80 mm	Ø 32x1,20 mm	Semi Solid w/ Bushing	11,65 kg	60
73361	0,80 mm	Ø 32x1,20 mm	Pneumatic w/ B. Bearing (3,50x7)	10,55 kg	60
72352	0,80 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	11,45 kg	60
73362	0,80 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50x7)	10,50 kg	60

80L

FUZE DEMONTABLE WHEELBARROWS

FÜZE DEMONTE EL ARABALARI / FÜZE BROUETTES DÉMONTABLES



					
71321	0,60 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	10,60 kg	60
71331	0,60 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50x7)	9,65 kg	60

80L

FUZE 70 DEMONTABLE WHEELBARROWS

FÜZE 70 DEMONTE EL ARABALARI / FÜZE 70 BROUETTES DÉMONTABLES



					
72321	0,70 mm	Ø 32x1,20 mm	Semi Solid w/ Bushing	11,30 kg	60
73331	0,70 mm	Ø 32x1,20 mm	Pneumatic w/ B. Bearing (3,50x7)	10,90 kg	60
72322	0,70 mm	Ø 32x1,00 mm	Semi Solid w/ Bushing	11,05 kg	60
73332	0,70 mm	Ø 32x1,00 mm	Pneumatic w/ B. Bearing (3,50x7)	10,10 kg	60

80L

FUZE ECO DEMONTABLE WHEELBARROWS

FÜZE EKO DEMONTE EL ARABALARI / FÜZE EKO BROUETTES DÉMONTABLES



					
72161	0,70 mm	Ø 32x1,20 mm	Semi Solid w/ Bushing	10,85 kg	60
73261	0,70 mm	Ø 32x1,20 mm	Pneumatic w/ B. Bearing (3,50x7)	9,75 kg	60
71161	0,60 mm	Ø 32x1,20 mm	Semi Solid w/ Bushing	10,50 kg	60
71261	0,60 mm	Ø 32x1,20 mm	Pneumatic w/ B. Bearing (3,50x7)	9,55 kg	60

120L

YAPAR 3.120 DEMONTABLE WHEELBARROWS

YAPAR 3.120 DEMONTE / YAPAR 3.120 BROUETTES DÉMONTABLES



↔	🍽	~	🌀	📦	🔧
32401	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	17,75 kg	50
32681	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	17,85 kg	50
33401	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	16,40 kg	50
33681	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	16,60 kg	50
34681	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	16,95 kg	50
35681	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	17,42 kg	50

120L

YPR 3.120 DEMONTABLE WHEELBARROWS

YPR 3.120 DEMONTE EL ARABALARI / YPR 3.120 BROUETTES DÉMONTABLES



↔	🍽	~	🌀	📦	🔧
32561	1,20 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	15,60 kg	50
33841	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	14,90 kg	50
35841	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	15,00 kg	50

120L

YAPAR G3.120 DEMONTABLE WHEELBARROWS

YAPAR G3.120 DEMONTE EL ARABALARI / YAPAR G3.120 BROUETTES DÉMONTABLES



↔	🍽	~	🌀	📦	🔧
32409	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	17,75 kg	50
32689	1,20 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	17,85 kg	50
33409	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	16,40 kg	50
33689	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	16,60 kg	50
34689	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	16,95 kg	50
35689	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	17,42 kg	50

120L

YPR G3.120 DEMONTABLE WHEELBARROWS

YPR G3.120 DEMONTE EL ARABALARI / YPR G3.120 BROUETTES DÉMONTABLES



↔	🍽	~	🌀	📦	🔧
32569	1,20 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	15,40 kg	50
33849	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	14,70 kg	50
35849	1,20 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	14,80 kg	50

120L

YAPAR 3.100 DEMONTABLE WHEELBARROWS

YAPAR 3.100 DEMONTE EL ARABALARI / YAPAR 3.100 BROUETTES DÉMONTABLES



					
32391	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	16,95 kg	50
32671	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	16,96 kg	50
33391	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	15,55 kg	50
33671	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,65 kg	50
34771	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	15,35 kg	50
35631	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	14,85 kg	50

120L

YPR 3.100 DEMONTABLE WHEELBARROWS

YPR 3.100 DEMONTE EL ARABALARI / YPR 3.100 BROUETTES DÉMONTABLES



					
32551	1,00 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	14,50 kg	50
33831	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	13,80 kg	50
35831	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	13,90 kg	50

120L

YAPAR G3.100 DEMONTABLE WHEELBARROWS

YAPAR G3.100 DEMONTE EL ARABALARI / YAPAR G3.100 BROUETTES DÉMONTABLES



					
32399	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ Bushing	16,95 kg	50
32679	1,00 mm	Ø 32x2,00 mm	Semi Solid w/ B. Bearing	16,96 kg	50
33399	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Bushing (3,50 x 7)	15,55 kg	50
33679	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,65 kg	50
34679	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	15,35 kg	50
35639	1,00 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 8)	14,85 kg	50

120L

YPR G3.100 DEMONTABLE WHEELBARROWS

YPR G3.100 DEMONTE EL ARABALARI / YPR G3.100 BROUETTES DÉMONTABLES



					
32559	1,00 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	14,30 kg	50
33839	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	13,60 kg	50
35839	1,00 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	13,70 kg	50

120L

YPR 3.80 DEMONTABLE WHEELBARROWS

YPR 3.80 DEMONTE EL ARABALARI / YPR 3.80 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
32531	0,80 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	13,45 kg	50
33811	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	12,75 kg	50
35811	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	12,85 kg	50

120L

YAPAR 3.120 DOUBLE WHEEL DEMONTABLE WHEELBARROW

YAPAR 3.120 ÇİFT TEKERLEKLİ DEMONTE EL ARABALAR
YAPAR 3.120 BROUETTE À DEUX ROUES DÉMONTABLE

↔	🍲	~	🌀	📦	🔧
37601	1,20 mm	Ø 32x2,00 mm	Pneumatic w/ B. Bearing (3,50 x 7)	18,90 kg	30

120L

YPR G3.80 DEMONTABLE WHEELBARROWS

YPR G3.80 DEMONTE EL ARABALARI / YPR G3.80 BROUETTES DÉMONTABLES



↔	🍲	~	🌀	📦	🔧
32539	0,80 mm	Ø 32x1,50 mm	Semi Solid w/ Bushing	13,25 kg	50
33819	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	12,55 kg	50
35819	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	12,60 kg	50

120L

YPR 3.80 DOUBLE WHEEL DEMONTABLE WHEELBARROW

YPR 3.80 ÇİFT TEKERLEKLİ DEMONTE EL ARABALARI / YPR 3.80 BROUETTE À DEUX ROUES DÉMONTABLE





↔	🍲	~	🌀	📦	🔧
37611	0,80 mm	Ø 32x1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	15,25 kg	30



PACKAGING INFORMATION

Ambalaj Bilgisi

Crate Dimensions (mm) Sandık Boyutları (mm)	Quantity in Crate Sandıktaki Adet
1070 x 2250 x 1120	30 - 50 - 60 pcs./Adet





Code / Kod / Code / Код
الرمز



Chassis / Şasi / Châssis / Шасси
الهيكل



Wheel Type / Tekerlek Tipi / Type de Roue / Тип Колеса
نوع العجلة



Weight / Ağırlık / Poids / Вес
الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки
عدد الربطة

120L

YPR 3000 PLASTIC WHEELBARROWS

YAPAR 3000 PLASTİK EL ARABALARI / BROUETTE EN PLASTIQUE YPR 3000



↔	~	⊙	⊞	≡
76111	32 x 1,50 mm	Semi Solid w/ Bushing	13,05 kg	1
76211	32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	12,00 kg	1
76411	32 x 1,50 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	11,80 kg	1
76511	32 x 1,50 mm	Flat Free PU (3,50 x 7)	11,90 kg	1
76611	32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	12,45 kg	1

120L

YPR 3000 PLASTIC WHEELBARROWS METAL LEG

YAPAR 3000 PLASTİK EL ARABALARI SAC AYAKLI / BROUETTE EN PLASTIQUE YPR 3000



↔	~	⊙	⊞	≡
77111	32 x 1,50 mm	Semi Solid w/ Bushing	14,25 kg	1
77211	32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 7)	13,20 kg	1
77411	32 x 1,50 mm	Pneumatic w/ Plastic Rim (3,50 x 7)	13,00 kg	1
77511	32 x 1,50 mm	Flat Free PU (3,50 x 7)	13,10 kg	1
77611	32 x 1,50 mm	Pneumatic w/ B. Bearing (3,50 x 8)	13,65 kg	1



240L

YPR 5000 PLASTIC WHEELBARROWS

YPR 5000 PLASTİK EL ARABALARI (DEVİRMELİ) / YPR 5000 BROUETTE EN PLASTIQUE À DEUX ROUES



78611



32 x 2,00 mm



Pneumatic w/ B. Bearing (3,50 x 8)



25,90 kg



1





Code / Kod / Code / Код

الرمز

a x b x c

Dimensions / Ölçüler / Dimensions / Размеры

القياسات



Wheel Type / Tekerlek Tipi / Type de Roue / Тип Колеса

نوع العجلة



Plate Dimensions / Tabla Ölçüsü / Dimensions du plaque / Размер таблицы

أبعاد اللوحة




Weight / Ağırlık / Poids / Вес

الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки

عدد الرابطة



YAPAR HT500 HAND TRUCK

YAPAR HT500 KOLİ TAŞIMA ARABASI / DIABLES YAPAR HT500



↔	a x b x c	⊙	🚚	📦	📦
80501	60 x 72 x 115 cm	Solid w/ Bushing (200x50)	34 x 50 cm	18,20 kg	1
80502	60 x 72 x 115 cm	Solid w/ Ball Bearing (200x50)	34 x 50 cm	18,70 kg	1
80506	60 x 72 x 115 cm	Solid w/ Bushing (250x50)	34 x 50 cm	19,90 kg	1
80507	60 x 72 x 115 cm	Solid w/ Ball Bearing (250x50)	34 x 50 cm	20,65 kg	1
80503	60 x 72 x 115 cm	Solid w/ Plastic Rim (200x50)	34 x 50 cm	17,60 kg	1
80504	60 x 72 x 115 cm	Pneumatic (3,00 x 4)	34 x 50 cm	17,00 kg	1
80505	60 x 72 x 115 cm	3 Wheel Stair Climbing	34 x 50 cm	21,60 kg	1

YAPAR HT510 FOLDING HAND TRUCK

YAPAR HT510 KOLİ TAŞIMA ARABASI (KATLANIR) / DIABLES PLIABLE YAPAR HT510



↔	a x b x c	⊙	🚚	📦	📦
80511	60 x 72 x 115 cm	Solid w/ Bushing (200x50)	34 x 50 cm	19,30 kg	1
80512	60 x 72 x 115 cm	Solid w/ Ball Bearing (200x50)	34 x 50 cm	19,80 kg	1
80516	60 x 72 x 115 cm	Solid w/ Bushing (250x50)	34 x 50 cm	21,05 kg	1
80517	60 x 72 x 115 cm	Solid w/ Ball Bearing (250x50)	34 x 50 cm	21,75 kg	1
80513	60 x 72 x 115 cm	Solid w/ Plastic Rim (200x50)	34 x 50 cm	18,75 kg	1
80514	60 x 72 x 115 cm	Pneumatic (3,00 x 4)	34 x 50 cm	18,15 kg	1
80515	60 x 72 x 115 cm	3 Wheel Stair Climbing	34 x 50 cm	22,70 kg	1

YAPAR AKROBAT HAND TRUCK

YAPAR AKROBAT KOLİ TAŞIMA ARABASI / DIABLES YAPAR ACROBATE



	a x b x c				
80902	60 x 72 x 115 cm	Pneumatic (3,00 x 4)	34 x 50 cm	18,40 kg	1

YPR HT200 HAND TRUCK

YPR HT200 KOLİ TAŞIMA ARABASI / DIABLES YPR HT200



	a x b x c				
80201	58 x 49 x 117 cm	Solid w/ Bushing (200x50)	32 x 48 cm	12,70 kg	1
80202	58 x 49 x 117 cm	Solid w/ Ball Bearing (200x50)	32 x 48 cm	13,22 kg	1
80203	58 x 49 x 117 cm	Solid w/ Plastic Rim (200x50)	32 x 48 cm	12,13 kg	1
80206	58 x 49 x 117 cm	Solid w/ Bushing (250x50)	32 x 48 cm	14,40 kg	1
80207	58 x 49 x 117 cm	Solid w/ Ball Bearing (250x50)	32 x 48 cm	15,18 kg	1
80204	58 x 49 x 117 cm	Pneumatic (3,00 x 4)	32 x 48 cm	11,55 kg	1
80205	58 x 49 x 117 cm	3 Wheel Stair Climbing	32 x 48 cm	16,10 kg	1

YPR HT210 FOLDING HAND TRUCK

YPR HT210 KOLİ TAŞIMA ARABASI (KATLANIR) / DIABLES PLIABLE YPR HT210



	a x b x c				
80211	58 x 49 x 117 cm	Solid w/ Bushing (200x50)	32 x 48 cm	13,55 kg	1
80212	58 x 49 x 117 cm	Solid w/ Ball Bearing (200x50)	32 x 48 cm	14,05 kg	1
80213	58 x 49 x 117 cm	Solid w/ Plastic Rim (200x50)	32 x 48 cm	12,95 kg	1
80216	58 x 49 x 117 cm	Solid w/ Bushing (250x50)	32 x 48 cm	15,25 kg	1
80217	58 x 49 x 117 cm	Solid w/ Ball Bearing (250x50)	32 x 48 cm	16,00 kg	1
80214	58 x 49 x 117 cm	Pneumatic (3,00 x 4)	32 x 48 cm	12,35 kg	1
80215	58 x 49 x 117 cm	3 Wheel Stair Climbing	32 x 48 cm	16,95 kg	1

YPR HT100 HAND TRUCK

YPR HT100 KOLİ TAŞIMA ARABASI / DIABLES YPR HT100



	a x b x c				
80101	56 x 48 x 117 cm	Solid w/ Bushing (200x50)	30 x 47 cm	11,95 kg	1
80102	56 x 48 x 117 cm	Solid w/ Ball Bearing (200x50)	30 x 47 cm	12,45 kg	1
80103	56 x 48 x 117 cm	Solid w/ Plastic Rim (200x50)	30 x 47 cm	11,40 kg	1



WHEELS AND SPARES

produces wheels and trays for wheelbarrows with tire, rim and bedding models suitable for different intended purposes to complement its product in line with customer needs.



Code / Kod / Code / Код

الرمز



Bushing Type / Yatak Tipi / Type De Roulement / Тип Втулки

نوع المسند



Outside Diameter / Dış Çap / Diamètre Extérieur / Наружный диаметр.

القطر الخارجي



Shaft Diameter / Mil Delik Çapı / Diamètre De Trou De L'axe / Диаметр вала.

طول فتحة العمود



Air Pressure / Şişirme Basıncı / Pression de l'air / Давление воздуха

ضغط الهواء



Max. Load / Maksimum Yük / Charge Maximale / Максимальная нагрузка

اقصى حمل



Weight / Ağırlık / Poids / Вес

الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки

عدد الربطة

PNEUMATIC WHEEL 3,50x7

ŞİŞME TEKERLEK 3,50x7 / ROUE PNEUMATIQUE 3.50X7



62211	Bushing	355 mm	20 mm	150 kg	20 PSI	2,15 kg	5
62221	Ball Bearing	355 mm	20 mm	150 kg	20 PSI	2,30 kg	5

PNEUMATIC WHEEL 3,50X7 (W/ BALL BEARING)

ŞİŞME TEKERLEK 3,50 x 7 (RULMANLI) / ROUE PNEUMATIQUE 3.50X7 AVEC AXE ROULEMENT À BILLE



62824	Ball Bearing	355 mm	20 mm	120 kg	20 PSI	2,15 kg	5

PNEUMATIC WHEEL 3,50X7 W/ BALL BEARING

ŞİŞME TEKERLEK 3,50X7 (RULMANLI)
ROUE PNEUMATIQUE 3.50X7 AVEC AXE ROULEMENT À BILLE



62121	Ball Bearing	355 mm	20 mm	100 kg	20 PSI	2,00 kg	5



PNEUMATIC WHEEL 3,50x7 (PLASTIC RIM)

ŞİŞME TEKERLEK 3,50x7 (PLASTİK JANTLI) / ROUE PNEUMATIQUE (PLASTIQUE) 3.50X7



62326	Ball Bearing	355 mm	20 mm	150 kg	20 PSI	1,95 kg	5

FLAT FREE PU WHEEL 3,50x7

PATLAMAZ PU TEKERLEK 3,50x7 / ROUE INCREVABLE (3,50X7)



65211	Bushing	330 mm	20 mm	100 kg	1,90 kg	5	
65221	Ball Bearing	330 mm	20 mm	100 kg	2,05 kg	5	

PNEUMATIC WHEEL 3,50x8

ŞİŞME TEKERLEK 3,50x8 / ROUE PNEUMATIQUE 3.50X8



68221	Ball Bearing	355 mm	20 mm	150 kg	20 PSI	2,75 kg	5

PNEUMATIC WHEEL 3,50x8

ŞİŞME TEKERLEK 3,50x8 / ROUE PNEUMATIQUE 3.50X8



68824	Ball Bearing	370 mm	20 mm	120 kg	20 PSI	2,45 kg	5

SEMI SOLID WHEEL

TÜP TEKERLEK / PNEU DE BROUETTE INCREVABLE



63211	Bushing	330 mm	20 mm	150 kg	3,20 kg	5	
63221	Ball Bearing	330 mm	20 mm	150 kg	3,40 kg	5	

SEMI SOLID WHEEL

TÜP TEKERLEK / PNEU DE BROUETTE INCREVABLE



63114	Bushing	330 mm	20 mm	100 kg	2,95 kg	5	
63124	Ball Bearing	330 mm	20 mm	100 kg	3,20 kg	5	

PNEUMATIC WHEEL 3,00x4

SİSME TEKERLEK 3,00x4 / ROUE PNEUMATIQUE 3.00X4



69331	-	250 mm	20 mm	100 kg	20 PSI	0,95 kg	5

SOLID WHEEL (250x50)

DOLGU TEKERLEK (250x50) / ROUE PLEINE (250X50)



64112	Bushing	250 mm	20 mm	200 kg	2,40 kg	6	
64122	Ball Bearing	250 mm	20 mm	250 kg	2,75 kg	6	

SOLID WHEEL W/PLASTIC RIM (200x50)

DOLGU TEKERLEK (200x50) PLASTİK JANTLI / ROUE PLEINE AVEC JANTE EN PLASTIQUE (200X50)



64331	-	200 mm	20 mm	200 kg	1,26 kg	6	

SOLID WHEEL (200x50)

DOLGU TEKERLEK (200x50) / ROUE PLEINE (200X50)



64111	Bushing	200 mm	20 mm	200 kg	1,54 kg	6	
64121	Ball Bearing	200 mm	20 mm	200 kg	1,79 kg	6	

SOLID WHEEL (150x45)

DOLGU TEKERLEK (150x45) / ROUE PLEINE (150X45)



64411	Bushing	150 mm	20 mm	150 kg	0,78 kg	10	

3 WHEEL SET (STAIR CLIMBING)

MERDİVEN ÇIKAN TEKERLEK SETİ / ROUES D'ESCALADE D'ESCALIER



64510	Bushing	3x(150x45)	20 mm	300 kg	3,25 kg	2	



TYRE

DİŞ LASTİK / PNEU DE BROUETTE



62766	3,50 x 7	0,95 kg	20
68766	3,50 x 8	1,12 kg	20

INNER TUBE

İÇ LASTİK / CHAMBRE À AIR POUR PNEU DE BROUETTE



62666	3,50 x 7	0,30 kg	50
68666	3,50 x 8	0,33 kg	50

SHAFT WITH BALL BEARING

MİL TAKIMI (Rulmanlı) / AXE ROULEMENT À BILLE



67526	0,36 kg	1

SHAFT WITH BUSHING

MİL TAKIMI (BURÇLU) / AXE ROULEMENT À ROULEAUX




67516	0,22 kg	1

SHAFT

TEKERLEK MİLİ / AXE



67566	Shaft	0,15 kg	1
67506	Set Shaft - Bold - Nut	0,09 kg	6



Code / Kod / Code / Код

الرمز



Thickness / Kalınlık / Épaisseur / Толщина

السماكة



Volume / Hacim / Объем

حجم



Weight / Ağırlık / Poids / Вес

الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки

عدد الربطة



WHEELBARROW TRAY

EL ARABASI TEKNEŞİ / PLATEAU DE BROUETTE



<=>				
98701	0,80 mm	60 L (Liquid)	4,25 kg	1
98751	0,80 mm	100 L (Liquid)	5,55 kg	1
98721	1,00 mm	60 L (Liquid)	5,25 kg	1
98771	1,00 mm	100 L (Liquid)	6,85 kg	1
98731	1,20 mm	60 L (Liquid)	6,30 kg	1
98781	1,20 mm	100 L (Liquid)	7,70 kg	1

DEMONTABLE WHEELBARROW TRAY

DEMONTÉ EL ARABASI TEKNEŞİ / PLATEAU DE BROUETTE DÉMONTABLE



<=>				
98801	0,80 mm	60 L (Liquid)	4,20 kg	1
98901	0,80 mm	100 L (Liquid)	5,20 kg	1
98821	1,0 mm	60 L (Liquid)	5,15 kg	1
98921	1,0 mm	100 L (Liquid)	6,40 kg	1
98831	1,20 mm	60 L (Liquid)	6,15 kg	1
98931	1,20 mm	100 L (Liquid)	7,70 kg	1

WHEELBARROW TRAY (GALVANIZED)

EL ARABASI TEKNESİ (GALVANİZLİ) / PLATEAU DE BROUETTE (GALVANISÉ)



				
98709	0,80 mm	60 L (Liquid)	4,05 kg	1
98759	0,80 mm	100 L (Liquid)	5,22 kg	1
98729	1,00 mm	60 L (Liquid)	4,95 kg	1
98779	1,00 mm	100 L (Liquid)	6,60 kg	1
98739	1,20 mm	60 L (Liquid)	5,95 kg	1
98789	1,20 mm	100 L (Liquid)	7,95 kg	1

DEMONTABLE WHEELBARROWS TRAY (GALVANIZED)

DEMONTÉ EL ARABASI TEKNESİ (GALVANİZLİ) / PLATEAU DE BROUETTE DÉMONTABLE (GALVANISÉ)



				
98809	0,80 mm	60 L (Liquid)	3,97 kg	1
98909	0,80 mm	100 L (Liquid)	5,12 kg	1
98829	1,00 mm	60 L (Liquid)	4,85 kg	1
98929	1,00 mm	100 L (Liquid)	6,30 kg	1
98839	1,20 mm	60 L (Liquid)	5,80 kg	1
98939	1,20 mm	100 L (Liquid)	7,80 kg	1

WHEELBARROW TRAY PLASTIC

PLASTİK EL ARABASI TEKNESİ / PLATEAU DE BROUETTE PLASTIQUE



			
98910	100 L (Liquid)	4.30 kg	1

DEMONTABLE WHEELBARROW TRAY PLASTIC

DEMONTÉ EL ARABASI TEKNESİ PLASTİK / PLATEAU DE BROUETTE DÉMONTABLE PLASTIQUE



			
98920	100 L (Liquid)	4.30 kg	1

SHOVELS

Kürekler
Pelles

shovels produced for the most difficult works, provides ease of use with its functional and ergonomic design. Weight tolerance of the shovels is $\pm 3\%$ and the material thickness is 0.05 mm.

S
Straight
Düz
مسطح
Droite
Прямой

C
Curved
Eğik
ماندل
Courbée
Изогнутый

DP
w/ Plastic "D" Grip
Plastik "D" Tutamaklı
ذو ممسك بلاستيک بشکل "D"
Manche avec poignée en plastique
Черенок с пластмассовой ручкой

DM
w/ Steel & Wood "D" Grip
Demir & Ağaç "D" Tutamaklı
ذو ممسك حديد او خشب بشکل "D"
Manche avec poignée en acier et en bois
Черенок со стальным и деревянным захватом

T
w/ "T" Grip
"T" Tutamaklı
ذو ممسك بشکل "T"
Manche avec poignée de type Barrel T
Черенок со спец.ручкой в форме "T"



Code / Kod / Code / Код
الرمز



Thickness / Kalınlık / Épaisseur / Толщина
السماكة



Dimensions / Ölçüler / Dimensions / Размеры
القياسات



Diameter / Çap / Diamètre / Диаметр
الدائرة قطر




Handle Type / Sap Tipi / Type De Manche / Тип Черенок
نوع المقبض



Weight / Ağırlık / Poids / Вес
الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки
عدد الرابطة



4160 CONSTRUCTION SHOVEL

4160 İNŞAAT KÜREĞİ / PELLE DE CHANTIER 4160



↔	→ ←	a x b	Ø			
11000	1,70 mm	255 x 280 mm	42 mm	1500 mm/C 1300 mm/C	0,95 kg	25

4160 PLUS CONSTRUCTION SHOVEL

4160 PLUS İNŞAAT KÜREĞİ / PELLE DE CHANTIER 4160 PLUS



↔	→ ←	a x b	Ø			
19101	1,50 mm	255 x 280 mm	42 mm	1500 mm/C 1300 mm/C	0,88 kg	25

4160 VARNISHED CONSTRUCTION SHOVEL

4160 VERNİKLİ İNŞAAT KÜREĞİ / PELLE DE CHANTIER 4160 (VERNIE)



↔	→ ←	a x b	Ø			
11002	1,70 mm	255 x 280 mm	42 mm	1500 mm/C 1300 mm/C	0,95 kg	25



4160 - C CONSTRUCTION SHOVEL

4160 - C İNŞAAT KÜREĞİ / PELLE DE CHANTIER 4160-C

↔	→←	axb	Ø	🔧	📦	⚙️
19000	1,00 mm	255 x 280 mm	40 mm	1500 mm/C 1300mm/C	0,60 kg	25

4160-C construction shovel, which does not tire the user with its light structure, is long-lasting and durable with its special material suitable for high hardness. Its flexibility also provides advantages in use.

4160 - C CONSTRUCTION SHOVEL W/CURVED HANDLE

4160 - C İNŞAAT KÜREĞİ (EĞİK SAPLI) / 4160-C PELLE DE CHANTIER À MANCHE COURBÉE



↔	→←	axb	Ø	🔧	📦	⚙️
19030	1,00 mm	255 x 280 mm	40 mm	1500 mm/C 1300 mm/C	2,20 kg	5

4160 CONSTRUCTION SHOVEL BLUE

4160 İNŞAAT KÜREĞİ MAVİ / PELLE DE CHANTIER (BLEU) 4160



↔	→←	axb	Ø	🔧	📦	⚙️
18000	1,50 mm	255 x 280 mm	42 mm	1500 mm/C 1300 mm/C	0,86 kg	25

CONSTRUCTION SHOVEL NO 4

4 NO İNŞAAT KÜREĞİ / PELLE DE CHANTIER NUMÉRO 4



↔	→←	axb	Ø	🔧	📦	⚙️
13000	1,50 mm	255 x 280 mm	42 mm	1500 mm/C 1300 mm/C	0,83 kg	25

CONSTRUCTION SHOVEL NO 4

4 NO İNŞAAT KÜREĞİ / PELLE DE CHANTIER NO 4



		a x b	$\emptyset$			
21000	1,50 mm	255 x 285 mm	42 mm	1500 mm/C 1300 mm/C	0,88 kg	25

CONSTRUCTION SHOVEL NO 4

DEMİR 4 NO İNŞAAT KÜREĞİ / PELLE DE CHANTIER NUMÉRO 4



		a x b	$\emptyset$			
21080	~1,50 mm	260 x 290 mm	42 mm	1500 mm/C 1300 mm/C	0,81 kg	25

5160 CONSTRUCTION SHOVEL

5160 İNŞAAT KÜREĞİ / PELLE DE CHANTIER 5160



		a x b	$\emptyset$			
11100	1,70 mm	265 x 305 mm	42 mm	1500 mm/C 1300 mm/C	1,10 kg	25

5160 PLUS CONSTRUCTION SHOVEL W/1500 CURVED HANDLE

5160 PLUS İNŞAAT KÜREĞİ (1500 EĞİK SAPLI) / PELLE DE CHANTIER 5160 AVEC MANCHE COURBÉE 1500



5160 PLUS CONSTRUCTION SHOVEL

5160 PLUS İNŞAAT KÜREĞİ / PELLE DE CHANTIER 5160 PLUS



		a x b	$\emptyset$			
19201	1,50 mm	265 x 305 mm	42 mm	1500 mm/C 1300 mm/C	0,98 kg	25

		a x b	$\emptyset$			
19241	1,50 mm	265 x 305 mm	42 mm	1500 mm/C 1300 mm/C	2,18 kg	5



4150 SAND SHOVEL

4150 KUM KÜREĞİ / PELLE À SABLE 4150

		a x b	Ø			
11200	1,70 mm	250 x 275 mm	42 mm	1500 mm/C 1300 mm/C	0,98 kg	25

4150 Sand Shovel, whose design is suitable for transferring sand and soil, offers users a comfortable use for a long time with its hardened special steel and durable material.

5150 SAND SHOVEL

5150 KUM KÜREĞİ / PELLE À SABLE 5150



		a x b	Ø			
11300	1,70 mm	265 x 295 mm	42 mm	1500 mm/C 1300 mm/C	1,10 kg	25

7160 SAND SHOVEL

7160 KUM KÜREĞİ / PELLE À SABLE 7160



		a x b	Ø			
11400	1,70 mm	285 x 310 mm	42 mm	1500 mm/C 1300 mm/C	1,20 kg	25

SQUARE SOIL SHOVEL

DÜZ TOPRAK KÜREĞİ / PELLE CARRÉE



		a x b	Ø			
18100	1,70 mm	225 x 275 mm	38 mm	1500 mm/C 1300 mm/C	1,00 kg	10

SQUARE SOIL SHOVEL

DÜZ TOPRAK KÜREĞİ / PELLE CARRÉE



		a x b	Ø			
28100	1,50 mm	225 x 275 mm	38 mm	1500 mm/C 1300 mm/C	0,90 kg	10



3200 SHARP POINTED SPADE

3200 BEL KÜREĞİ (SİVRİ) / BÊCHE POINTUE 3200

		a x b	Ø			
14000	2,00 mm	225 x 290 mm	43 mm	1500 mm/S 1300 mm/S	1,00 kg	25

3200 Pointed Spade, which provides great advantage with its pointed tip and 2.00 mm thick special alloy steel, is the helper of the farmers in spring.

3200 PLUS SHARP POINTED SPADE

3200 PLUS BEL KÜREĞİ (SİVRİ) / BÊCHE POINTUE PLUS 3200



		a x b	Ø			
19301	1,70 mm	220 x 290 mm	43 mm	1500 mm/S 1300 mm/S	0,86 kg	25

3200 SHARP POINTED SPADE W/PRESS

3200 BASKILI BEL KÜREĞİ (SİVRİ) / BÊCHE POINTUE À REBORD 3200



		a x b	Ø			
14090	2,00 mm	225 x 370 mm	43 mm	1500 mm/S 1300 mm/S	1,30 kg	10

3200 SHARP POINTED SPADE

3200 BEL KÜREĞİ (SİVRİ) / BÊCHE POINTUE 3200



		a x b	Ø			
13200	1,70 mm	225 x 290 mm	43 mm	1500 mm/S	0,88 kg	25

POINTED SPADE

DEMİR BEL KÜREĞİ / BÊCHE POINTUE



		a x b	Ø			
24080	-2,00 mm	260 x 290 mm	43 mm	1500 mm/S 1300 mm/S	0,95 kg	25

3210 POINTED SPADE

3210 BEL KÜREĞİ (AZ SIVRI) / BÊCHE POINTUE 3210



↔	→ ←	a x b	Ø	🚧	📦	≡
14100	2,00 mm	225 x 280 mm	43 mm	1500 mm/S 1300 mm/S	1,05 kg	25

3220 ROUND POINTED SPADE

3220 BEL KÜREĞİ (YUVARLAK) / PELLE-BÊCHE 3220



↔	→ ←	a x b	Ø	🚧	📦	≡
14200	2,00 mm	225 x 280 mm	43 mm	1500 mm/S 1300 mm/S	1,05 kg	25

3170 RICE SHOVEL W/ PRESS (ROUND POINT)

3170 BASKILI ÇELTİK KÜREĞİ (YUVARLAK) / PELLE À RIZ À REBORD 3170



↔	→ ←	a x b	Ø	🚧	📦	≡
17890	1,70 mm	215 x 320 mm	42 mm	1500 mm/S 1300 mm/S	0,82 kg	10

3170 RICE SHOVEL (ROUND POINT)

3170 ÇELTİK KÜREĞİ (YUVARLAK) / PELLE À RIZ 3170



↔	→ ←	a x b	Ø	🚧	📦	≡
14300	1,70 mm	225 x 255 mm	42 mm	1500 mm/S 1300 mm/S	0,85 kg	25

3190 RICE SHOVEL (POINTED)

3190 ÇELTİK KÜREĞİ (SIVRI) / PELLE À RIZ POINTUE 3190



↔	→ ←	a x b	Ø	🚧	📦	≡
14400	1,70 mm	225 x 250 mm	42 mm	1500 mm/S 1300 mm/S	0,85 kg	25

3190 RICE SHOVEL W/PRESS (POINTED)

3190 BASKILI ÇELTİK KÜREĞİ (SIVRI) / PELLE À RIZ À REBORD 3190 (POINTUE)



↔	→ ←	a x b	Ø	🚧	📦	≡
14490	1,70 mm	225 x 250 mm	42 mm	1500 mm/S 1300 mm/S	1,00 kg	10

4 TINE SPADING FORK

DÖRTLÜ ÇATAL BEL / FOURCHE À BÈCHER



↔	→←	a x b	Ø	🔧	📦	🔧
99070	6,00 mm	175 x 285 mm	35 mm	675 mm/DM	2,00 kg	5

4170 FRANKFURT SHOVEL

4170 FRANKFURT KÜREĞİ/ PELLE ALSACIENNE 4170



↔	→←	a x b	Ø	🔧	📦	🔧
14500	1,70 mm	255 x 270 mm	42 mm	1500 mm/C 1300 mm/C	0,95 kg	25

4190 LOREN SHOVEL

4190 LOREN KÜREĞİ / PELLE LOREN 4190



↔	→←	a x b	Ø	🔧	📦	🔧
14600	1,70 mm	240 x 240 mm	42 mm	1500 mm/C 1300 mm/C	0,87 kg	25

7200 GRAIN SHOVEL

7200 ALÜMİNYUM ZAHİRE KÜREĞİ / PELLE À GRAIN 7200



↔	→←	a x b	Ø	🔧	📦	🔧
83006	2,00 mm	360 x 420 mm	37 mm	1200 mm/S 700 mm/T	1,00 kg	5

Grain Shovels, which provide great convenience to the grain farmers and traders at harvest time, are designed with a large volume blade suitable for transferring and are produced from special alloy aluminum material with a thickness of 2.00 mm.

7200 GRAIN SHOVEL W/DM HANDLE

7200 ZAHİRE KÜREĞİ (DM SAPLI) / PELLE À GRAINE 7200 AVEC MANCHE DM



↔	→←	a x b	Ø			
83056	2,00 mm	360 x 420 mm	37 mm	700 mm/DM	2,00 kg	5

4300 SQUARE MOUTH SHOVEL

4300 FARYAP KÜREĞİ / PELLE ANGLAISE CARRÉE 4300



↔	→←	a x b	Ø			
17000	1,70 mm	255 x 325 mm	38 mm	600 mm/DP/T	1,50 kg	5

SQUARE MOUTH SHOVEL NO 4

4 NO FARYAP KÜREĞİ / PELLE CARRÉE NUMÉRO 4



↔	→←	a x b	Ø			
27000	1,50 mm	255 x 325 mm	38 mm	1200 mm/S 600 mm/S DM/DP/T	1,35kg	5

4300 SQUARE MOUTH SHOVEL W/DM HANDLE

4300 FARYAP KÜREĞİ (DM SAPLI) / PELLE ANGLAISE CARRÉE 4300 AVEC MANCHE DM



↔	→←	a x b	Ø			
17050	1,70 mm	255 x 325 mm	38 mm	600 mm/DM	2,40 kg	5

6300 SQUARE MOUTH SHOVEL

6300 FARYAP KÜREĞİ / PELLE ANGLAISE CARRÉE 6300



		a x b	Ø			
17100	1,70 mm	280 x 350 mm	38 mm	600 mm/DP/T	1,70 kg	5

6300 SQUARE MOUTH SHOVEL W/DM HANDLE

6300 FARYAP KÜREĞİ (DM SAPLI) / PELLE ANGLAISE CARRÉE 6300 AVEC MANCHE DM



		a x b	Ø			
17150	1,70 mm	280 x 350 mm	38 mm	600 mm/DM	2,50 kg	5

6300 SQUARE MOUTH W/HANDLE

6300 FARYAP KÜREĞİ (DÜZ SAPLI) / PELLE ANGLAISE CARRÉE 6300 AVEC MANCHE DROITE



		a x b	Ø			
17110	1,70 mm	280 x 350 mm	38 mm	1200 mm/S	2,50 kg	5

SQUARE MOUTH SHOVEL NO 6

6 NO FARYAP KÜREĞİ / PELLE CARRÉE



		a x b	Ø			
27100	1,50 mm	280 x 350 mm	38 mm	1200 mm/S 600 mm/S DM/DP/T	1,50kg	5

SMALL SNOW SHOVEL (ALUMINIUM)

KÜÇÜK KAR KÜREĞİ (ALÜMİNYUM) / PETITE PELLE À NEIGE (ALUMINIUM)



↔	→ ←	a x b	Ø	☉	☐	≡
83106	2,00 mm	265 x 300 mm	34 mm	T/DM/DP	0,50 kg	5

GALVANIZED PLASTERER SHOVEL

GALVANİZ SIVACI KÜREĞİ / PELLE À ORDURE GALVANISÉE



↔	→ ←	a x b	Ø	☉	☐	≡
28104	1,20 mm	225 x 275 mm	38 mm	1500 mm/C 1300 mm/C	0,50 kg	10

PLASTERER SHOVEL

1150 SIVACI KÜREĞİ / PELLE À ORDURE 1150



↔	→ ←	a x b	Ø	☉	☐	≡
29410	1,20 mm	220 x 205 mm	26 mm	370 mm	0,50 kg	50

1250 COAL SHOVEL

1250 KÖMÜR KÜREĞİ / PELLE À CHARBON 1250



↔	→ ←	a x b	Ø	☉	☐	≡
29210	0,80 mm	175 x 255 mm	26 mm	370 mm	0,35 kg	40

1150 DUST SHOVEL

1150 ÇÖP KÜREĞİ / PELLE À ORDURE 1150



↔	→ ←	a x b	Ø	☉	☐	≡
29010	0,80 mm	220 x 200 mm	26 mm	270 mm/S	0,35 kg	40

1200 STOVE SHOVEL

1200 SOBA KÜREĞİ / PELLE DE CHAUFFE 1200



↔	→ ←	a x b	Ø	☉	☐	≡
29110	0,80 mm	110 x 190 mm	26 mm	270 mm	0,25 kg	50

5200 MINER'S SHOVEL

5200 MADENCİ KÜREĞİ / PELLE DE MINE 5200



↔	→←	axb	Ø			
17200	1,70 mm	270 x 315 mm	40 mm	1200 mm/S 1300 mm/S 600 mm/DP/T	1,35 kg	20

5210 MINER'S SHOVEL

5210 MADENCİ KÜREĞİ / PELLE DE MINE 5210



↔	→←	axb	Ø			
17300	1,70 mm	260 x 320 mm	38 mm	1200 mm/S 1300 mm/S 600 mm/DP/T	1,25 kg	20

5210 MINER'S SHOVEL W/DP HANDLE

5210 MADENCİ KÜREĞİ (DP SAPLI) / Pelle de mine 5210 avec manche DP



↔	→←	axb	Ø			
17360	1,70 mm	260 x 320 mm	38 mm	600mm/DP	2,25 kg	5

5260 MINER'S SHOVEL

5260 MADENCİ KÜREĞİ (OLUKLU) / PELLE DE MINE 5260



↔	→←	axb	Ø			
17400	1,70 mm	325x 325 mm	42 mm	600 mm/ DM/DP/T	1,50 kg	10

SPANISH SHOVEL

İSPANYOL KÜREĞİ / PELLE ESPAGNOLE



↔	→←	axb	Ø			
17700	1,70 mm	300 x 340 mm	38 mm	1200 mm/S 1300 mm/S 600 mm/ DM/DP	1,40 kg	5



5250 MINER'S SHOVEL

5250 MADENCİ KÜREĞİ / PELLE DE MINE 5250

		a x b	Ø			
17500	1,70 mm	260 x 330 mm	38 mm	T/DM/DP	1,00 kg	20

5250 is a multi purpose shovel which is used in gardening and construction to dig or transfer different types of material.

5250 MINER'S SHOVEL (DM HANDLE)

5250 MADENCİ KÜREĞİ (DM SAPLI) / PELLE DE MINE 5250 AVEC MANCHE DM



		a x b	Ø			
17550	1,70 mm	260 x 330 mm	38 mm	600 mm/DM	2,40 kg	5

9001 SAND SHOVEL

9001 KUM KÜREĞİ / PELLE À SABLE 9001



		a x b	Ø			
14700	1,70 mm	210 x 365 mm	36 mm	600 mm/DP/T	1,20 kg	10

9002 SAND SHOVEL

9002 KUM KÜREĞİ / PELLE À SABLE 9002



		a x b	Ø			
14800	1,70 mm	235 x 340 mm	34 mm	T/DM/DP	1,40 kg	10

AMERICAN SHOVEL

AMERİKAN KÜREĞİ / PELLE AMERICAINE



		a x b	$\emptyset$			
11900	1,70 mm	220 x 285 mm	36 mm	600 mm/ DM/DP/T	1,10 kg	20

FRENCH SHOVEL No 25 (SQUARE)

FRANSIZ KÜREĞİ NO.25 (KÖŞELİ) / PELLE FRANCAISE 25 (CARRÉE)



		a x b	$\emptyset$			
12500	1,70 mm	265 x 290 mm	38 mm	1200 mm/S 1300 mm/S	1,20 kg	10

FRENCH SHOVEL No 27

FRANSIZ KÜREĞİ NO.27 / PELLE FRANCAISE 27



		a x b	$\emptyset$			
12300	1,70 mm	280 x 270 mm	38 mm	1200 mm/S 1300 mm/S	1,00 kg	10

AMERICAN SHOVEL W/STRAIGHT HANDLE

AMERİKAN KÜREĞİ (DÜZ SAPLI) / PELLE AMERICAINE AVEC MANCHE DROITE



		a x b	$\emptyset$			
11910	1,70 mm	220 x 285 mm	36 mm	1200 mm/S	2,35 kg	5

FRENCH SHOVEL No 29

FRANSIZ KÜREĞİ NO.29 / PELLE FRANCAISE 29



		a x b	$\emptyset$			
12400	1,70 mm	295 x 285 mm	38 mm	1200 mm/S 1300 mm/S	1,10 kg	10

9101 HOLSTEINER SHOVEL

9101 HOLSTEINER KÜREĞİ / PELLE HOLSTEINER 9101



		axb	$\emptyset$			
11600	1,70 mm	240 x 275 mm	38 mm	1500 mm/C 1300 mm/C	1,00 kg	25

9105 HOLLANDER SHOVEL

9105 HOLLANDER KÜREĞİ / PELLE HOLLANDER 9105



		axb	$\emptyset$			
15300	1,70 mm	245 x 295 mm	38 mm	1500 mm/C 1300 mm/C	1,02 kg	25

9310 SAND SHOVEL

9310 KUM KÜREĞİ / PELLE À ORDURE 1150



		axb	$\emptyset$			
11700	1,70 mm	255 x 275 mm	38 mm	1500 mm/C 1300 mm/C	1,00 kg	25

9101 HOLSTEINER SHOVEL W/CURVED HANDLE

9101 HOLSTEINER KÜREĞİ (EĞİK SAPLI) / PELLE ALLEMANDE 9101 À MANCHE COURBÉE



		axb	$\emptyset$			
11630	1,70 mm	240 x 275 mm	38 mm	1500 mm/C 1300 mm/C	2,30 kg	5

9320 SAND SHOVEL

9320 KUM KÜREĞİ / PELLE À SABLE 9320



		axb	$\emptyset$			
11800	1,70 mm	275 x 300 mm	38 mm	1500 mm/C 1300 mm/C	1,10 kg	25

9103 GARDEN SHOVEL

9103 BAHÇE KÜREĞİ / PELLE DE JARDINAGE 9103



↔	→ ←	axb	Ø	👤	📦	≡
15100	1,70 mm	210 x 265 mm	34 mm	1500 mm/C 1300 mm/C	0,80 kg	25

9104 GARDEN SHOVEL

9104 BAHÇE KÜREĞİ / PELLE DE JARDINAGE 9104



↔	→ ←	axb	Ø	👤	📦	≡
15200	1,70 mm	220 x 285 mm	34 mm	1500 mm/C 1300 mm/C	0,86 kg	25

9102 GARDEN SPADE

9102 BEL KÜREĞİ DÜZ / PELLE DE JARDINAGE 9102



↔	→ ←	axb	Ø	👤	📦	≡
15000	1,70 mm	185 x 285 mm	34 mm	850 mm/T	0,90 kg	25

9300 POINTED SPADE

9300 BEL KÜREĞİ / BÊCHE (PEU POINTUE) 9300



↔	→ ←	axb	Ø	👤	📦	≡
15900	1,70 mm	210 x 280 mm	38 mm	1500 mm/S 1300 mm/S	1,00 kg	25

9003 SQUARE SPADE

9003 BEL KÜREĞİ DÜZ / PELLE À SABLE 9003



↔	→ ←	axb	Ø	👤	📦	≡
14900	2,00 mm	195 x 280 mm	34 mm	600 mm/DP/T	0,95 kg	25

It is especially produced for digging and spading. Flat edge makes this shovel ideal for cutting roots and soil.



SNOW PUSHER (ALUMINIUM)

KAR KÜREĞİ (ALÜMİNYUM) / PELLE ALLEMANDE À NEIGE (ALUMINIUM)

↔	→ ←	axb	Ø	🔧	📦	🔢
88006	2,00 mm	465 x 325 mm	30 mm	1400 mm/S	1,30 kg	10

The shovel made up of 2.00 aluminum which has a wide, curved and ribbed form is ideal for pushing snow off driveways and walkways.

SNOW SHOVEL (GALVANIZED)

KAR KÜREĞİ (GALVANİZ) / PELLE À NEIGE (GALVANISÉ)



↔	→ ←	axb	Ø	🔧	📦	🔢
28004	1,20 mm	465 x 325 mm	30 mm	1400 mm/S	1,90 kg	10

SNOW SHOVEL (GALVANIZED) w/ HANDLE

KAR KÜREĞİ GALVANİZ (SAPLI) / PELLE À NEIGE (GALVANISÉ) AVEC MANCHE



SMALL SNOW SHOVEL (ALUMINIUM) W/DP HANDLE

KÜÇÜK KAR KÜREĞİ ALÜMİNYUM (DP SAPLI) / PETITE PELLE À NEIGE (ALUMIUM) - AVEC MANCHE DP



↔	→ ←	axb	Ø	🔧	📦	🔢
83166	2,00 mm	265 x 300 mm	30 mm	DP	0,90 kg	5

↔	→ ←	axb	Ø	🔧	📦	🔢
28024	1,20 mm	460 x 325 mm	30 mm	1400 mm/S	2,70 kg	10

PLASTIC SNOW SHOVEL NO 4

4 NO KAR KÜREĞİ (PLASTİK) / PELLE EN PLASTIQUE NUMÉRO 4



		axb				
97506		300 x 370 mm	38 mm	1300 mm/S	0,55 kg	25

PLASTIC SNOW SHOVEL NO 4

4 NO KAR KÜREĞİ (PLASTİK) / PELLE À NEIGE EN PLASTIQUE NUMÉRO 4



		axb				
97606		300 x 460 mm	38 mm	1300 mm/S 600 mm/S DM/DP/T	0,58kg	25

PLASTIC SNOW SHOVEL NO 5

5 NO KAR KÜREĞİ (PLASTİK) / PELLE EN PLASTIQUE NUMÉRO 5



		axb				
97526		340 x 430 mm	38 mm	1300 mm/S	0,76kg	25

PLASTIC SNOW SHOVEL NO 4 W/ HANDLE

4 NO KAR KÜREĞİ PLASTİK (SAPLI) / PELLE À NEIGE EN PLASTIQUE NUMÉRO 4 AVEC MANCHE



		axb				
97516		300 x 370 mm	38 mm	1300 mm/S	1,90kg	10

PLASTIC SNOW SHOVEL NO 5

5 NO KAR KÜREĞİ (PLASTİK) / PELLE À NEIGE EN PLASTIQUE NUMÉRO 5



		axb				
97626		340 x 527 mm	38 mm	1300 mm/S 600 mm/S DM/DP/T	0,75kg	25

SQUARE MOUTH SHOVEL (PLASTIC)

FARYAP KÜREĞİ (PLASTİK) / PELLE CARRÉE PLASTIQUE



	a x b	$\emptyset$			
97166	290 x 370 mm	38 mm	1300 mm/S	0,54 kg	20

SQUARE MOUTH SHOVEL (PLASTIC)

FARYAP KÜREĞİ (PLASTİK) / PELLE CARRÉE PLASTIQUE



	a x b	$\emptyset$			
97206	290 x 370 mm	38 mm	600 mm/DP	0,47 kg	20

SQUARE MOUTH SHOVEL (PLASTIC) W/DP HANDLE

FARYAP KÜREĞİ (PLASTİK) DP SAPLI / PELLE CARRÉE PLASTIQUE AVEC MANCHE DP



	a x b	$\emptyset$			
97176	290 x 370 mm	38 mm	600 mm/DP	1,20 kg	5

GRAIN SHOVEL (PLASTIC)

ZAHİRE KÜREĞİ (PLASTİK) / PELLE À GRAIN PLASTIQUE



	a x b	$\emptyset$			
97246	370 x 460 mm	38 mm	1300 mm/S	0,80 kg	10

This plastic grain shovel is ideal for moving corrosive and granular materials (grain, salt, animal feed etc.). Aluminum collar and aluminum blade at the end increases the durability of the shovel.

GRAIN SHOVEL (PLASTIC)

ZAHİRE KÜREĞİ (PLASTİK) / PELLE À GRAIN PLASTIQUE



↔	a x b	Ø	🧺	📦	🔢
97286	370 x 460 mm	38 mm	600 mm/DP 1300 mm/S	0,73 kg	10

PUSHER (PLASTIC)

KÜREYİCİ (PLASTİK) / GRATTOIR EN PLATIQUE



↔	a x b	Ø	🧺	📦	🔢
97126	410 x 230 mm	28 mm	1400 mm/S	0,48 kg	20

GRAIN SHOVEL (PLASTIC) W/DP HANDLE

ZAHİRE KÜREĞİ (PLASTİK) DP SAPLI / PELLE A GRAIN PLASTIQUE AVEC MANCHE DP



↔	a x b	Ø	🧺	📦	🔢
97256	370 x 460 mm	38 mm	600 mm/DP	1,42 kg	5

PUSHER (PLASTIC)

KÜREYİCİ (PLASTİK) / GRATTOIR EN PLATIQUE

↔	a x b	Ø	🧺	📦	🔢
97086	410 x 230 mm	28 mm	1400 mm/S	0,50 kg	20

Plastic Pusher is used to clean snow and trash from flat surfaces. Ideal for public usage areas. Besides it is used in livestock to clean stables and corrals.

SNOW PUSHER

PLASTİK KAR KÜREYİCİ / POUSSE NEIGE



↔	a x b	Ø			
97546	225 x 485 mm	28 mm	1400 mm/S	0,82 kg	10

PLASTIC SCRAPER

PLASTİK GELBERİ / RACLOIR EN PLASTIQUE



↔	a x b	Ø			
97006	410 x 230 mm	28 mm	1400 mm/S	0,52 kg	20

PLASTIC SCRAPER

PLASTİK GELBERİ / RACLOIR EN PLASTIQUE



↔	a x b	Ø			
97046	410 x 230 mm	28 mm	1400 mm/S	0,50 kg	20

PLASTIC SCRAPER W/ HANDLE

PLASTİK GELBERİ / RACLOIR EN PLASTIQUE



↔	a x b	Ø			
97016	410 x 230 mm	28 mm	1400 mm/S	1,32 kg	5

MILD STEEL SCRAPER

DEMİR GELBERİ / RACLOIR EN ACIER DOUX



↔	a x b	Ø			
99440	400 x 130 mm	32 mm	1400 mm/S	0,95 kg	10



HANDLES

Saplar
Poignées

Handles produced by processing trees such as beech, ash tree and hornbeam that are considered as solid wood trees in computerized machines, and drying the moisture content in electronic furnaces, provide ease of use with its ergonomic design.

Poignées offrant une facilité d'utilisation grâce à leur forme ergonomique, sont produites à partir des arbres de bois massifs comme le hêtre, frêne et charme) et sont traitées dans des machines informatisées et des fours électroniques (séchage).



Code / Kod / Code / Код

الرمز



Dimensions/ Ölçüler / Dimensions / Размеры

القياسات



Diameter / Çap / Diamètre / Диаметр

الدائرة قطر



Handle Type / Sap Tipi / Type De Manche / Тип Черенок

نوع المقبض



Weight / Ağırlık / Poids / Вес

الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки

عدد الربطة

CURVED SHOVEL HANDLES

EĞİK KÜREK SAPLARI / MANCHE COURBÉE DE PELLE



41750	1500 mm	34-42 mm	Curved	1,25 kg	25
41730	1300 mm	34-40 mm	Curved	1,10 kg	25

STRAIGHT SHOVEL HANDLES

DÜZ KÜREK SAPLARI / MANCHE DROITE DE PELLE



41650	1500 mm	34-42 mm	Straight	1,26 kg	25
41630	1300 mm	34-42 mm	Straight	1,05 kg	25
41620	1200 mm	34-40 mm	Straight	0,62 kg	25

SHOVEL HANDLE

DÜZ KÜREK SAPI / MANCHE DE PELLES



49650	1500 mm	34 - 42 mm	Straight	1,20 kg	25



HANDLES WITH GRIP

TUTAMAKLI SAPLAR / MANCHE DE PELLE ANGLAISE

41120	600 mm	36-42 mm	DM	0,80 kg	25
41130	700 mm	36-42 mm	DM	0,85 kg	25
41210	600 mm	36-42 mm	DP	0,62 kg	25
41220	700 mm	36-42 mm	DP	0,68 kg	25
41340	850 mm	31-38 mm	T	0,60 kg	25

D and T shaped handles are produced from beech. The humidity of handles decreased to appropriated values in a kiln under observation and produced in different sizes and shapes.

RAKE HANDLE

TIRMIK SAPI / MANCHE DE RÂTEAU



41500	1400 mm	30 mm	Straight	0,75 kg	25

RAKE HANDLE

TIRMIK SAPI / MANCHE DE RATEAU



49500	1400 mm	30 mm	Straight	0,85 kg	25

PICK AXE HANDLE

KAZMA SAPI / MANCHE DE PIOCHE



41100	900 mm	39,5-49 mm	Straight	0,95 kg

PICK AXE HANDLE

KAZMA SAPI / MANCHE DE PIOCHE



49100	900 mm	36,5 - 49 mm	Straight	0,75 kg

AXE HANDLES

BALTA SAPLARI / MANCHE DE HANCHE (DROITE)



41460	900 mm	39-56 mm	Straight	0,82 kg	25
41470	900 mm	39-56 mm	Orthopedic	0,70 kg	25

AXE HANDLE


BALTA SAPI / MANCHE DE HACHE



49460	900 mm	39 - 56 mm	Straight	0,60 kg	25

BRUSH HANDLES


FIRÇA SAPLARI / MANCHE DE BALAI



41530	1200 mm	26 mm	Straight	0,45 kg
41550	1500 mm	26 mm	Straight	0,50 kg
41570	1750 mm	26 mm	Straight	0,65 kg
41590	2000 mm	26 mm	Straight	0,80 kg

BRUSH HANDLES

FIRÇA SAPLARI / MANCHE DE BALAI



49530	1200 mm	24 mm	0,44 kg	25
49550	1500 mm	24 mm	0,50 kg	25
49590	2000 mm	24 mm	0,80 kg	25

ERGONOMIC HAMMER HANDLES

ORTOPEDİK ÇEKİÇ SAPI / MANCHE DE MARTEAU (ERGONOMIQUE)



	TİP				
41380	100 g	260 mm	Orthopedic	0,07 kg	50
41390	200 g	280 mm	Orthopedic	0,08 kg	50
41400	300 g	300mm	Orthopedic	0,12 kg	50
41410	500 g	320 mm	Orthopedic	0,13 kg	50
41420	800 g	350 mm	Orthopedic	0,15 kg	50
41430	1000 g	360 mm	Orthopedic	0,20 kg	50
41440	1500 g	380 mm	Orthopedic	0,22 kg	50
41450	2000 g	400 mm	Orthopedic	0,24 kg	50

ADZE HANDLE

KESER SAPI / MANCHE D'HACHETTE



					
41060	450 mm	27-33 mm	Straight	0,33 kg	50

FOOT PRESS FOR SPADE

DEPKİ (BEL KÜREĞİ AYAK BASKISI) / MANCHE BÉQUILLE



				
41790	290 mm	40 mm	0,40 kg	25

FOOT PRESS FOR SPADE

DEPKİ (BEL KÜREĞİ AYAK BASKISI) / PRESSE-PIED DE BÊCHE



				
49796	290 mm	40 mm	0,40 kg	25



GARDEN TOOLS

Outils De Jardin



Code / Kod / Code / Код
الرمز



Thickness / Kalınlık / Epaisseur / Толщина
السماكة



Dimensions / Ölçüler / Dimensions / Размеры
القياسات



Diameter / Çap / Diamètre / Диаметр
الدائرة قطر




Handle Type / Sap Tipi / Type De Manche / Тип Черенок
نوع المقبض



Weight / Ağırlık / Poids / Вес
الوزن



Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки
عدد الربطة



RAKE 10 TEETH

TIRMIK 10 DİŞ / RÂTEAUX YAPAR 10 DENTS



↔	→ ←	axb	Ø	☒	☐	≡
94100	5,00 mm	260 x 85 mm	28 mm	1400 mm	0,60 kg	12

RAKE 12 TEETH

TIRMIK 12 DİŞ / RÂTEAUX YAPAR 12 DENTS



↔	→ ←	axb	Ø	☒	☐	≡
94200	5,00 mm	315 x 85 mm	28 mm	1400 mm	0,70 kg	12

RAKE 14 TEETH

TIRMIK 14 DİŞ / RÂTEAUX YAPAR 14 DENTS



↔	→ ←	axb	Ø	☒	☐	≡
94300	5,00 mm	370 x 85 mm	28 mm	1400 mm	0,80 kg	12

RAKE 16 TEETH

TIRMIK 16 DİŞ / RÂTEAUX YAPAR 16 DENTS



		axb	Ø			
94400	5,00 mm	425 x 85 mm	28 mm	1400 mm	0,85 kg	12

RAKE 10 TEETH

TIRMIK 10 DİŞ / RÂTEAUX 10 DENTS



		axb	Ø			
95100	4,00 mm	265 x 85 mm	28 mm	1400 mm	0,50 kg	12

RAKE 18 TEETH

TIRMIK 18 DİŞ / RÂTEAUX YAPAR 18 DENTS



		axb	Ø			
94500	5,00 mm	480 x 85 mm	28 mm	1400 mm	0,95 kg	12

RAKE 12 TEETH

TIRMIK 12 DİŞ / RÂTEAUX 12 DENTS



		axb	Ø			
95200	4,00 mm	330 x 85 mm	28 mm	1400 mm	0,60 kg	12

RAKE 20 TEETH

TIRMIK 20 DİŞ / RÂTEAUX YAPAR 20 DENTS



		axb	Ø			
94600	5,00 mm	a: 535 x 85 mm	28 mm	1400 mm	1,00 kg	12

RAKE 14 TEETH

TIRMIK 14 DİŞ / RÂTEAUX 14 DENTS



		axb	Ø			
95300	4,00 mm	390 x 85 mm	28 mm	1400 mm	0,65 kg	12

RAKE 16 TEETH

TIRMIK 16 DİŞ / RÂTEAUX 16 DENTS



		axb				
95400	4,00 mm	450 x 85 mm	28 mm	1400 mm	0,70 kg	12

METAL LEAF RAKE ADJUSTABLE

METAL YAPRAK TIRMIĞI (AYARLI) / RATEAU A FEUILLES REGLABLE



95009	1 mm	25 mm	-	0,45 kg	25

RAKE 18 TEETH

TIRMIK 18 DİŞ / RÂTEAUX 18 DENTS



		axb				
95500	4,00 mm	505 x 85 mm	28 mm	1400 mm	0,80 kg	12

ONE PRONG FLOWER HOE

ÇİÇEK ÇAPASI SIVRİ / SERFOUETTE PANNE LANGUE



		axb				
99051	3,00 mm	70 x 265 mm	30 mm	-	0,35 kg	20

RAKE 20 TEETH

TIRMIK 20 DİŞ / RÂTEAUX 20 DENTS



		axb				
95600	4,00 mm	565 x 85 mm	28 mm	1400 mm	0,90 kg	12

ONE PRONG FLOWER HOE W/HANDLE

ÇİÇEK ÇAPASI SIVRİ (SAPLI) / SERFOUETTE PANNE LANGUE (AVEC MANCHE)



		axb				
99031	3,00 mm	70 x 265 mm	30 mm	450 mm	0,555 kg	10

TWO PRONG FLOWER HOE

ÇİÇEK ÇAPASI ÇATAL / SERFOUETTE PANNE FOURCHE



		axb	Ø			
99061	3,00 mm	70 x 225 mm	30 mm	-	0,31 kg	20

TWO PRONG FLOWER HOE W/ HANDLE

ÇATAL ÇİÇEK ÇAPASI (SAPLI) / SERFOUETTE PANNE FOURCHE (AVEC MANCHE)



		axb	Ø			
99041	3,00 mm	70 x 225 mm	30 mm	450 mm	0,515 kg	10

ONE PRONG FLOWER HOE

ÇİÇEK ÇAPASI SIVRI / SERFOUETTE PANNE LANGUE



		axb	Ø			
99651	3 mm	70 x 240 mm	30 mm	-	0,27 kg	20

ONE PRONG FLOWER HOE W/ HANDLE

ÇİÇEK ÇAPASI SIVRI (SAPLI) / SERFOUETTE PANNE FOURCHE (AVEC MANCHE)



		axb	Ø			
99631	3 mm	70 x 240 mm	30 mm	450 mm	0,47 kg	10

TWO PRONG FLOWER HOE

ÇİÇEK ÇAPASI ÇATAL / SERFOUETTE PANNE FOURCHE



		axb	Ø			
99661	3 mm	70 x 230 mm	30 mm	-	0,51 kg	20

TWO PRONG FLOWER HOE W/ HANDLE

ÇATAL ÇİÇEK ÇAPASI (SAPLI) / SERFOUETTE PANNE FOURCHE (AVEC MANCHE)



		axb	Ø			
99641	3 mm	70 x 230 mm	30 mm	450 mm	0,44 kg	10

PLANE GARDEN HOE

BAHÇE ÇAPASI DÜZ / HOUE DE JARDINAGE



↔	→←	axb	Ø	🧐	📦	🌿
93461	4,00 mm	65 x 236 mm	30 mm	-	0,37 kg	25

PLANE GARDEN HOE W/ HANDLE

BAHÇE ÇAPASI DÜZ (SAPLI) / HOUE DE JARDINAGE À PANNE LONGUE AVEC MANCHE



↔	→←	axb	Ø	🧐	📦	🌿
93471	4,00 mm	65 x 236 mm	30 mm	700 mm / S	0,70 kg	10

TWO PRONG GARDEN HOE


BAHÇE ÇAPASI ÇATAL / HOUE DE JARDINAGE À DEUX BROCHES



↔	→←	axb	Ø	🧐	📦	🌿
93441	4,00 mm	65 x 230 mm	34,5 mm	-	0,35 kg	25

TWO PRONG GARDEN HOE W/ HANDLE

BAHÇE ÇAPASI ÇATAL (SAPLI) / HOUE DE JARDINAGE À PANNE FOURCHE AVEC MANCHE



↔	→←	axb	Ø	🧐	📦	🌿
93451	4,00 mm	65 x 230 mm	34,5 mm	700 mm / S	0,66 kg	10

BIG GARDEN HOE

BÜYÜK BAHÇE ÇAPASI / GRANDE HOUE DE JARDINAGE



↔	→←	axb	Ø	🧐	📦	🌿
93401	4,00 mm	150 x 225 mm	44 mm	-	0,85 kg	15

BIG GARDEN HOE W/ HANDLE

BÜYÜK BAHÇE ÇAPASI (SAPLI) / GRANDE HOUE DE JARDINAGE AVEC MANCHE



↔	→←	axb	Ø	🧐	📦	🌿
93411	4,00 mm	150 x 225 mm	44 mm	1200 mm / S	1,90 kg	10

SMALL GARDEN HOE

KÜÇÜK BAHÇE ÇAPASI / PETITE HOUE DE JARDINAGE



↔	→←	axb	Ø	🧴	📦	🌿
93421	4,00 mm	107 x 170 mm	34,5 mm	-	0,45 kg	25

SMALL GARDEN HOE w/ HANDLE

KÜÇÜK BAHÇE ÇAPASI (SAPLI) / PETITE HOUE DE JARDINAGE AVEC MANCHE



↔	→←	axb	Ø	🧴	📦	🌿
93431	4,00 mm	107 x 170 mm	34,5 mm	900 mm/S	0,95 kg	10

ONE-PIECE MOON HOE

YEKPARE AY ÇAPA / BINETTE DE LUNE



↔	→←	axb	Ø	🧴	📦	🌿
93610	3 mm	270 x 135 mm	34 mm	-	0,95 kg	6
93612	3 mm	270 x 135 mm	34 mm	900 mm/S	1,35 kg	6

ONE-PIECE MOON HOE FLAT

YEKPARE AY ÇAPA DÜZ / BINETTE DE LUNE (PLATE)



↔	→←	axb	Ø	🧴	📦	🌿
93620	3 mm	270 x 100 mm	34 mm	-	0,79 kg	6
93622	3 mm	270 x 100 mm	34 mm	900 mm/S	1,15 kg	6

ONE-PIECE MOON HOE SHARP

YEKPARE AY ÇAPA SIVRİ / BINETTE DE LUNE (POINTUE)



↔	→←	axb	Ø	🧴	📦	🌿
93630	3 mm	190 x 160 mm	34 mm	-	0,85 kg	6
93632	3 mm	190 x 160 mm	34 mm	900 mm/S	1,25 kg	6

BAKING METAL SHEET

EKMEK SACI / BASSIN MÉTALLIQUE



↔	→←	TYPE	Ø	📦
91636	1,50 mm	Plane	Ø 40-45-50-55-60-65-70-75-80-85-90	-50 kg
91536	1,50 mm	Deep	Ø 35-40-45-50-55-60-65-70-75	-50 kg



CONSTRUCTION EQUIPMENTS

Équipements de Construction

Molding and plastering equipment produced for general and specific uses provide comfortable installation and use for professionals.

Les moules et les équipements de plâtrerie produits pour l'utilisation générale et spécifique offrent une installation et utilisation facile pour les professionnels.





Code / Kod / Code / Код
الرمز

Thickness / Kalınlık / Epaisseur / Толщина
السماكة

Dimensions / Ölçüler / Dimensions / Размеры
القياسات

Handle Type / Sap Tipi / Type De Manche / Тип Черенок
نوع المقبض


Weight / Ağırlık / Poids / Вес
الوزن

Bundle Qty. / Bağ Adedi / Botte Quantité / Количество Пачки
عدد الرابطة

Diameter / Çap / Diamètre / Диаметр
الدائرة قطر

STEEL MORTAR PAN

METAL HARÇ TEKNESİ / BAC POUR MORTIER



96241	0,80 mm	a: 685 mm b: 450 mm c: 150 mm	w/Grip	3,35 kg	1
96251	0,80 mm	a: 685 mm b: 450 mm c: 150 mm	w/o Grip	3,20 kg	1

STEEL MORTAR PAN (GALVANIZED)

GALYANIZLI HARÇ TEKNESİ / BAC POUR MORTIER GALVANISÉ



96244	0,80 mm	a: 685 mm b: 450 mm c: 150 mm	w/Grip	3,25 kg	1
96254	0,80 mm	a: 685 mm b: 450 mm c: 150 mm	w/o Grip	3,10 kg	1

TENSOR CLAMP

ÇİROZ SIKMA ALETİ / APPLICATEUR POUR CLIPS



92424	w/Handle	3,15 kg	2
92444	w/Lever	3,55 kg	2

CLAMP FOR CONCRETE CASTING MOULD

KALIP KİLİDİ (ÇİROZ) / CLIPS DE BÉTON



				
92450	 4mm  4mm  6mm	a: 75mm b: 110mm ϕ : 8mm	0,40 kg	50

CLAMP FOR CONCRETE CASTING MOULD

KALIP KİLİDİ (ÇİROZ) / CLIPS DE BÉTON



				
92460	 4mm  2,5mm  6mm	a: 75mm b: 105mm ϕ : 8mm	0,38 kg	50

CLAMP FOR CONCRETE CASTING MOULD

KALIP KİLİDİ / CLIPS DE BÉTON



				
92440	 3mm  2,5mm  5mm	a: 75mm b: 100mm ϕ : 8mm	0,30 kg	50

TIE-ROD

TİE-ROD (TAYROT) MİLİ / TIGE DE COFFRAGE



		ϕ		
92500	1,00 m	17 mm	1,44 kg	10
92510	1,20 m	17 mm	1,70 kg	10
92520	1,50 m	17 mm	2,13 kg	10
92530	2,00 m	17 mm	2,84 kg	10
92540	3,00 m	17 mm	4,30 kg	10

TIE-ROD NUT ϕ 70 mm

TİE-ROD (TAYROT) SOMUN ϕ 70 mm / ECROUS DE COFFRAGE



	ϕ		
92550	17 mm	0,26 kg	50

TIE-ROD WASHER

TİE-ROD (TAYROT) AYNASI / ENTRETOISE DE COFFRAGE



		a x b	ϕ		
92580	3,00 mm	a: 110 mm x b: 110 mm	17 mm	0,18 kg	50

WRECKING BARS


SÖKÜ DEMİRLERİ / BARRES DE DÉMOLITION



↔	→←	📏	📦	🔢
92300	19 mm	500 mm	1,50 kg	5
92310	19 mm	550 mm	1,55 kg	5
92320	19 mm	600 mm	1,70 kg	5
92330	19 mm	900 mm	2,60 kg	5
92340	19 mm	1000 mm	2,85 kg	5
92350	19 mm	1100 mm	3,10 kg	5
92360	19 mm	1200 mm	3,35 kg	5
92370	19 mm	1300 mm	3,60 kg	5
92380	19 mm	1400 mm	3,90 kg	5
92390	19 mm	1500 mm	4,20 kg	5

BLUE PICK AXE

MAVİ KAZMA / PIOCHE



↔	axb	📏	Ø	📦	🔢
93100	a: 490 mm b: 52 mm	-	40 - 45 mm	2,00 kg	6
93120	a: 490 mm b: 52 mm	w/ Handle	40 - 45 mm	2,95 kg	5

GREEN PICK AXE

YEŞİL KAZMA / PIOCHE



KOD	axb	📏	Ø	📦	🔢
93140	a: 490 mm b: 53 mm	-	40 - 45 mm	2,20 kg	6
93150	a: 490 mm b: 53 mm	w/ Handle	40 - 45 mm	3,15 kg	5

PLUS ADZE w/ HANDLE

KESER PLUS SAPLI / MARTEAU DE CHARPENTIER AVEC MANCHE PLUS



↔	axb	📏	📦	🔢
99081	a: 114 mm b: 41 mm	450 mm	0,65 kg	6

CHISEL - POINTED CHISEL

MURÇ - KESKİ / BURIN PLAT - BURIN POINTU



↔	TYPE	📏	📏	📦	🔢
92400	Pointed	300 mm	-	0,67 kg	12
92470	Pointed	300 mm	w/ Grip	0,73 kg	12
92410	-	300 mm	-	0,65 kg	12
92480	-	300 mm	w/ Grip	0,77 kg	12

BLACK PICK AXE

SİYAH KAZMA / PIOCHE



↔	axb	📏	Ø	📦	🔢
93300	a: 460 mm b: 50 mm	-	40 - 45 mm	1,80 kg	6
93130	a: 460 mm b: 50 mm	w/ Handle	40 - 45 mm	2,75 kg	5

MATTOCK

BALTALI KAZMA / PIOCHE HACHE



↔	axb	📏	Ø	📦	🔢
93180	a: 420 mm b: 60 mm	-	40 - 45 mm	1,60 kg	6
93190	a: 420 mm b: 60 mm	w/ Handle	40 - 45 mm	2,55 kg	5